



Material Safety Data Sheet

1. PRODUCT/COMPANY IDENTIFICATION

Product Name: JACAAB Melamine J-200 (NON-Micronized)

Synonyms: Melamine, triamino-s-triazine 1,3,5-Triazine-2,4,6-Triamine

Product Use: Resin Component

Manufacturer's Name: JACAAB, LLC.
4155 Manchester Ave.
St. Louis, MO 63110-3823

Information Telephone: (314) 533-4662

Emergency Telephone: (800) 424-9300 CHEMTREC

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CAS#</u>	<u>Weight %</u>	<u>ACGIH TLV</u>
Melamine	108-78-1	99.9	N.E

3. HAZARDS IDENTIFICATION

White crystalline powder; mild odor. NO HAZARD STATEMENT.

Potential Health Effects

Eye Contact:

Direct contact may cause slight irritation.

Skin Contact:

Direct contact may cause slight irritation.

Inhalation:

Not expected to be harmful.

Ingestion:

Not expected to be harmful.

Chronic Effects /Carcinogenicity:

No chronic evidence. / IARC: no, NTP: no, OSHA: no

4. FIRST AID MEASURES

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes. Consult a physician if irritation persists.

Skin Contact:

Flush skin with soap and water after contact. Consult a physician if irritation persists.

Inhalation:

Not expected to require action. If symptoms like irritation occur, remove to fresh air.

Ingestion:

Not expected to be harmful. If symptoms occur consult a physician.

5. FIRE FIGHTING MEASURES

Flash Point: Not Applicable

Decomposition Temperature: 669 F; 3543 C.

Extinguishing media: Carbon dioxide, dry chemical and water.

Special Fire Fighting Procedures: Wear full protective equipment and self-contained breathing apparatus to avoid inhalation of smoke or vapors.

Unusual Fire and Explosion Hazards: As with many organic solids, any dust that is generated may be explosive if mixed with air in critical proportions and in the presence of an ignition source.

6. ACCIDENTAL RELEASE MEASURES

Sweep up spills and place in waste disposal container. Flush area with water.

7. HANDLING AND STORAGE

Maintain good housekeeping to control dust accumulations.

8.EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: No specific controls or local ventilation are required.

Personal Protective Equipment:

Respirator: None required. Dust masks may be helpful when needed.

Eye/Face: Where contact is likely, eye protection is advised.

Protective Clothing: Where contact is possible, wear impervious gloves and clean protective work clothes. Wash hands after use.

Exposure Limit Guidelines:

None Established.

9.PHYSICAL AND CHEMICAL PROPERTIES

Physical State, Color and Odor: Fine white crystalline powder; mild odor.

Specific Gravity: 1.57 @ 20 C.

Melting Point: 669 F; 350 C; Decomposes

Boiling Point : Sublimes

Flash Point: Not applicable

Vapor Pressure (20 C.): Nil

Vapor Density: (20 C.): Not applicable

Water Solubility (20 C.): Slight

pH value (slurry, 50 g/l in water-20 C. : 7.5-9.5

Volatile Organic Content: Not applicable

10.STABILITY AND REACTIVITY

Stability: Stable Material.

Hazardous Polymerization: Will not occur.

Incompatibilities: Can react with strong oxidizers and mineral acids.

Decomposition Products: Oxides of carbon, ammonia, nitrogen and/or cyanide.

Conditions to Avoid: None known.

11. TOXICOLOGICAL INFORMATION

(Related Product – Melamine)

Acute toxicity

Oral LD50 (Rat): >3160 mg/kg.

Eye irritation (Animal): Dilute solution (10%)- None noted.

Skin irritation (Rabbit): Mild transient irritation.

Skin Irritation (Human): No primary irritation or allergic sensitization.

12. ECOLOGICAL INFORMATION

Rainbow Trout, 28 day LC50: 3000 mg/L

Daphnia, 48 hr., LC50: >1000 mg/L

Algae, 96 hr., LC50: 325 mg/L

Octanol/Water Partition Coefficient: Not applicable.

13. DISPOSAL INFORMATION

Dispose of in accordance with applicable Federal, State, and local regulations. Under the Resource Conservation and Recovery Act (RCRA) regulations, it is the responsibility of the user to determine whether the material should be classified as a hazardous waste.

14. TRANSPORTATION INFORMATION

Not regulated as a hazardous material or hazardous substance by DOT, IMO, or ICAO.

15. REGULATORY INFORMATION

TSCA Inventory: All components are listed.

DSL Status: All components are listed.

EINECS: All components are listed.

CERCLA Reportable Quantity: None

SARA Title III Extremely Hazardous Substances, Section 302: None

SARA Title III Hazard Categories, Section 311/312: Acute: No, Chronic: No, Fire: No,

Reactivity: No, Pressure: No.

SARA Title III Toxic Chemicals, Section 313: None

RCRA Status: See Section 13 this MSDS and (40CFR 261.20-24)

16. OTHER INFORMATION

Labeling :

NFPA/HMIS Codes: Health=0, Flammability=1, Reactivity=0 **Scale:** 0=Least to
4 =Extremely Severe.

Abbreviations:

ACGIH-American Conference of Governmental Industrial Hygienists
ADR-European Agreement ;International Carriage of Dangerous Goods by Road.
CERCLA-Comprehensive Environmental Protection Act
CFR-Code of Federal Regulations
CHEMTREC-Chemical Transportation Emergency Center
DOT-U.S.Department of Transportation
DSL – Domestic Substance List (Canada)
EEC-European Economic Community
HMIS-Hazardous Materials Identification System
IARC-International Agency for Research on Cancer
IATA-International Air Transport Association
ICAO-International Civil Aviation Organization
IMDG-International Maritime Dangerous Goods
MSHA-Mine Safety and Health Administration
N.E. - Not Established
NFPA-National Fire Protection Association
NIOSH-National Institute for Occupational Safety and Health
NTP-National Toxicology Program
OSHA-Occupational Safety and Health Administration, PEL-Permissible Exposure Limit
RCRA-Resource Conservation and Recovery Act
SARA-Superfund Amendment Reauthorization Act, TLV-Threshold Limit Value
TLV-Threshold Limit Value (based on 8 hr. exposure)
TSCA-Toxic Substance Control Act

Disclaimer: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JACAAB LLC. The data on this sheet relate only to the specific material designated herein. JACAAB LLC. assumes no legal responsibility for use or reliance upon these data.

\\ARCHSTLGCFFP01\Users\mgraham\MyDocs\JACAAB Melamine J-40 MSDS.doc